

## GLEEM LOTION

Infosafe No.: LQ66M  
ISSUED Date : 20/04/2021  
ISSUED by: JASOL AUSTRALIA

CLASSIFIED AS HAZARDOUS

### Section 1 - Identification

---

**Product Identifier**

GLEEM LOTION

**Product Code**

2035132

**Company Name**

JASOL AUSTRALIA

**Address**

41-45 Tarnard Drive Braeside  
VIC 3195 AUSTRALIA

**Telephone/Fax Number**

Tel: 03 95805722

Fax: 03 95809902

**Emergency Phone Number**

1800 629953

**Recommended use of the chemical and restrictions on use**

Cream cleaner

### Section 2 - Hazard(s) Identification

---

**GHS classification of the substance/mixture**

Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)

Eye damage/irritation: Category 2A

**Signal Word (s)**

WARNING

**Hazard Statement (s)**

H319 Causes serious eye irritation.

**Pictogram (s)**

Exclamation mark



**Precautionary Statement – Prevention**

P264 Wash contaminated skin thoroughly after handling.

P280 Wear eye protection/face protection.

#### Precautionary Statement – Response

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

### Section 3 - Composition and Information on Ingredients

---

#### Ingredients

Name	CAS	Proportion
Water	7732-18-5	80-100 %
Crystalline Silica (Quartz)	14808-60-7	10-15 %
Oxirane, methyl-, polymer with oxirane, mono(2-propylheptyl) ether	166736-08-9	1-5 %
Sodium hydroxide	1310-73-2	0.1-1 %
Bronopol	52-51-7	0.01-0.1 %
Mixture of 5-Chloro-2-methyl-4-isothiazolin-3-one and 2-Methyl-4-isothiazolin-3-one (3:1)	55965-84-9	0.001-0.01 %
Ingredients determined not to be hazardous		Balance

### Section 4 - First Aid Measures

---

#### Inhalation

If inhaled, remove affected person from contaminated area and keep at rest in a position comfortable for breathing. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

#### Ingestion

Do NOT induce vomiting. Wash/rinse out mouth thoroughly with water. Seek immediate medical attention.

#### Skin

Wash affected area thoroughly with soap and water after handling. If symptoms develop seek medical attention.

#### Eye

If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses, if present and easy to do. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

#### First Aid Facilities

Eyewash, safety shower and normal washroom facilities.

#### Advice to Doctor

Treat symptomatically.

#### Other Information

For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

Product is a blend containing surfactants, thickeners and polishing pigments. Vomiting has not been induced because of risk of aspiration into the lungs. Risk of mechanical damage to eyes. Contact Poisons Information Centre.

### Section 5 - Firefighting Measures

---

#### Suitable Extinguishing Media

Use dry powder, carbon dioxide, or extinguishing media appropriate to surrounding fire.

#### Hazards from Combustion Products

Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon dioxide. Incomplete combustion may generate carbon monoxide.

### **Specific hazards arising from the chemical**

This product is non combustible. However heating can cause expansion or decomposition leading to violent rupture of containers.

### **Decomposition Temperature**

Not available

### **Precautions in connection with Fire**

Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. Fight fire from safe location.

## **Section 6 - Accidental Release Measures**

---

### **Emergency Procedures**

Wear appropriate personal protective equipment and clothing to prevent exposure. Increase ventilation. If possible contain the spill. Place inert absorbent material onto spillage. Collect the material and place into a suitable labelled container. Do not dilute material but contain. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations. As a water based product, if spilt on electrical equipment the product will cause short-circuits.

## **Section 7 - Handling and Storage**

---

### **Precautions for Safe Handling**

Avoid inhalation of vapours and mists, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of mists or vapours in the work atmosphere. Maintain high standards of personal hygiene i.e. Washing hands prior to eating, drinking, smoking or using toilet facilities.

### **Conditions for safe storage, including any incompatibilities**

Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Keep containers tightly closed. Ensure that storage conditions comply with applicable local and national regulations. Protect from freezing.

## **Section 8 - Exposure Controls and Personal Protection**

---

### **Occupational exposure limit values**

QUARTZ

TWA: 0.1 mg/m<sup>3</sup>

Sodium hydroxide

TWA: 2 Peak limitation

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Peak Limitation: A ceiling concentration which should not be exceeded over a measurement period which should be as short as possible but not exceeding 15 minutes.

### **Biological Monitoring**

No biological limits allocated.

### **Engineering Controls**

This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn.

### **Respiratory Protection**

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.

Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

### **Eye and Face Protection**

Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations. Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

### Hand Protection

Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations. Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

## Section 9 - Physical and Chemical Properties

Properties	Description	Properties	Description
Form	Liquid	Appearance	Thick, abrasive liquid.
Colour	Blue	Odour	Lemon fragrance.
Melting/Freezing Point	Not available	Boiling Point	Not available
Decomposition Temperature	Not available	Solubility in Water	Miscible with water in all proportions.
Specific Gravity	1.16	pH	7.0 - 8.0
Vapour Pressure	Not available	Relative Vapour Density (Air=1)	Not available
Evaporation Rate	Not available	Odour Threshold	Not available
Viscosity	Not available	Partition Coefficient: n-octanol/water (log value)	Not available
Density	Not available	Flash Point	Not applicable
Flammability	Not flammable	Auto-Ignition Temperature	Not available
Flammable Limits - Lower	Not available	Flammable Limits - Upper	Not available

## Section 10 - Stability and Reactivity

### Chemical Stability

Stable under normal conditions of storage and handling.

### Possibility of hazardous reactions

Not available

### Conditions to Avoid

Extremes of temperature and direct sunlight.

### Incompatible Materials

Compatible with all materials.

### Hazardous Decomposition Products

Thermal decomposition may result in the release of toxic and/or irritating fumes.

### Hazardous Polymerization

Not available

## Section 11 - Toxicological Information

### Toxicology Information

No toxicity data available for this material.

### Ingestion

Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

### Inhalation

Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

### Skin

May be irritating to skin. The symptoms may include redness, itching and swelling.

**Eye**

Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

**Respiratory Sensitisation**

Not expected to be a respiratory sensitiser.

**Skin Sensitisation**

Not expected to be a skin sensitiser.

**Germ Cell Mutagenicity**

Not considered to be a mutagenic hazard.

**Carcinogenicity**

Not considered to be a carcinogenic hazard.

This product contains crystalline silica. No exposure to free respirable crystalline silica is anticipated during normal use of this product as silica is bound in the liquid/paste. It should be noted, however, that respirable crystalline silica has been listed as a Group 1 human carcinogen by the IARC. Inhalation of respirable silica may cause cancer, silicosis or other serious delayed lung injury. Grinding or machining of coated materials may release silica. Use approved dust respirator when grinding, sanding or machining the dried items.

**Reproductive Toxicity**

Not considered to be toxic to reproduction.

**STOT - Single Exposure**

Not expected to cause toxicity to a specific target organ.

**STOT - Repeated Exposure**

Not expected to cause toxicity to a specific target organ.

**Aspiration Hazard**

Not expected to be an aspiration hazard.

## Section 12 - Ecological Information

---

**Ecotoxicity**

No ecological data available for this material.

**Persistence and degradability**

Not available

**Mobility**

Not available

**Bioaccumulative Potential**

Not available

**Other Adverse Effects**

Not available

**Environmental Protection**

Do not discharge this material into waterways, drains and sewers.

## Section 13 - Disposal Considerations

---

**Disposal Considerations**

The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

## Section 14 - Transport Information

---

**Transport Information**

Road and Rail Transport (ADG Code):

Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

**ADG U.N. Number**

None Allocated

**ADG Proper Shipping Name**

None Allocated

**ADG Transport Hazard Class**

None Allocated

**Special Precautions for User**

Not available

**IMDG Marine pollutant**

No

**Transport in Bulk**

Not available

## Section 15 - Regulatory Information

---

**Regulatory Information**

Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Poisons Schedule**

Not Scheduled

## Section 16 - Any Other Relevant Information

---

**Date of Preparation**

SDS Re-issued: April 2021

SDS Created: May 2016

**Literature References**

Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Australian Code for the Transport of Dangerous Goods by Road & Rail (7th Edition).

Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

Safe Work Australia: Workplace exposure standards for airborne contaminants.

Adopted biological exposure determinants, American Conference of Governmental Industrial Hygienists (ACGIH).

Globally Harmonized System of classification and labelling of chemicals (8th Edition).

**Contact Person/Point**

The company has taken care in compiling this information. No liability is accepted whether direct or indirect from its application since the conditions of final use are outside the Company's control. The end user is obliged to conform to relevant government regulations and/or patent laws applicable in their respective States of Countries.

24-Hour Emergency Telephone: AUS: 1800 629 953 NZ: Poisons 0800 764 766, Spills 111 FIRE.

## END OF SDS

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe SDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

The compilation of SDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any SDS displayed is permitted for personal use only and otherwise is not permitted. In particular the SDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of SDS without the express written consent of Chemical Safety International Pty Ltd.

