



CLAX 100 22A1

Revision: 2021-08-06

Version: 01.1

SECTION 1: Identification of the substance/mixture and supplier

1.1 Product identifier

Product name: CLAX 100 22A1

1.2 Recommended use and restrictions on use

Identified uses:

Laundry detergent

Restrictions of use:

Uses other than those identified are not recommended

1.3 Details of the supplier

Diversey Australia Pty. Limited

29 Chifley St, Smithfield, NSW, 2164, Australia

Telephone: 1800 647 779 (toll free)

Fax: (02) 9725 5767

Email: aucustserv@diverse.com

Website: www.diverse.com/

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Flammable liquids, Category 3

Serious eye damage, Category 1

Acute toxicity, oral, Category 4

2.2 Label elements



Signal word: Danger

Hazard statements:

H226 - Flammable liquid and vapour.

H302 - Harmful if swallowed.

H318 - Causes serious eye damage.

Prevention statement(s):

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P264 - Wash face, hands and any exposed skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear eye or face protection.

Response statement(s):

P301 + P312 - IF SWALLOWED: Call a POISON CENTRE, doctor or physician if you feel unwell.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

P330 - Rinse mouth.

P370 + P378 - In case of fire: Use chemical powder to extinguish.

Disposal statement(s):

P501 - Dispose of unused content as chemical waste.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients**3.1 Substances / Mixtures**

Ingredient(s)	CAS number	EC number	Weight percent
alkyl alcohol ethoxylate	64425-86-1	[4]	10-30
alkyl alcohol ethoxylate	68213-23-0	[4]	10-30
propan-2-ol	67-63-0	200-661-7	3-10
alkyl alcohol ethoxylate	68131-39-5	[4]	3-10
alkyl alcohol alkoxyolate	9038-95-3	[4]	1-3
sodium benzoate	532-32-1	208-534-8	0.1-1

Non-hazardous ingredients are the remainder and add up to 100%.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

SECTION 4: First aid measures**4.1 Description of first aid measures****General Information:**

Symptoms of intoxication may even occur after several hours. It is recommended to continue medical observation for at least 48 hours after the incident.

Inhalation:

Remove person to fresh air and keep comfortable for breathing. Get medical attention or advice if you feel unwell.

Skin contact:

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation or rash occurs: Get medical advice or attention.

Eye contact:

Hold eyelids apart and flush eyes with plenty of lukewarm water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.

Ingestion:

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious person. Call a POISON CENTRE, doctor or physician. Get medical attention or advice if you feel unwell.

Self-protection of first aider:

Consider personal protective equipment as indicated in subsection 8.2.

First aid facilities:

Eyewash facilities should be considered in a workplace where necessary.

4.2 Most important symptoms and effects, both acute and delayed**Inhalation:**

No known effects or symptoms in normal use.

Skin contact:

No known effects or symptoms in normal use.

Eye contact:

Causes severe or permanent damage.

Ingestion:

No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

Poison Information Center:

Call 13 11 26 (Australia Wide).

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

5.4 Hazchem code

•3Z

•3 - Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used.

Z - Full fire kit and breathing apparatus. Contain.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Use personal protective equipment as required. Avoid contact with eyes. Do not eat, drink or smoke when using this product. Use only with adequate ventilation. See chapter 8.2, Exposure controls / Personal protection.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Store in a closed container. Keep only in original packaging. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
propan-2-ol	400 ppm 983 mg/m ³	500 ppm 1230 mg/m ³	

Biological limit values, if available:

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.

If available, please refer to the product information sheet for application and handling instructions.

Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions.
Appropriate organisational controls: Avoid direct contact and/or splashes where possible. Train personnel.

Personal protective equipment

Eye / face protection: Safety glasses or goggles (EN 166).
Hand protection: No special requirements under normal use conditions.
Body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.

Environmental exposure controls: Should not reach sewage water or drainage ditch undiluted or unneutralised.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties**Physical State:** Liquid**Colour:** Clear , Colourless**Odour:** Product specific**Odour threshold:** Not applicable**pH:** ≈ 5 (neat)**Melting point/freezing point (°C):** Not determined**Initial boiling point and boiling range (°C):** Not determined**Flammability (liquid):** Flammable.**Flash point (°C):** ≈ 45 °C**Sustained combustion:** The product does not sustain combustion
(*UN Manual of Tests and Criteria, section 32, L.2*)**Evaporation rate:** Not determined**Flammability (solid, gas):** Not applicable to liquids**Lower and upper explosion limit/flammability limit (%):** Not determined**Vapour pressure:** Not determined**Relative vapour density:** Not determined**Relative density:** ≈ 0.98 (20 °C)**Solubility in / Miscibility with Water:** Fully miscible**Partition coefficient: n-octanol/water:** No information available.

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Autoignition temperature: Not determined**Decomposition temperature:** Not applicable.**Viscosity:** ≈ 50 mPa.s (20 °C)**Explosive properties:** Not explosive. Vapours may form explosive mixtures with air.**Oxidising properties:** Not oxidising.**9.2 Other information****Surface tension (N/m):** Not determined**Corrosion to metals:** Not corrosive**Method / remark**

ISO 4316

Not relevant to classification of this product

closed cup

UN Manual of Tests and Criteria, section 32, L.2

Not relevant to classification of this product

Not relevant to classification of this product

OECD 109 (EU A.3)

SECTION 10: Stability and reactivity**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information**11.1 Information on toxicological effects**

Mixture data:

Relevant calculated ATE(s):

ATE - Oral (mg/kg): 1500

Substance data, where relevant and available, are listed below.:

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
alkyl alcohol ethoxylate	LD ₅₀	1000	Rat	Method not given	
propan-2-ol	LD ₅₀	5840	Rat	OECD 401 (EU B.1)	
alkyl alcohol ethoxylate		No data available			
alkyl alcohol alkoxyate	LD ₅₀	200-2000	Rat	Method not given	
sodium benzoate	LD ₅₀	> 2000	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
alkyl alcohol ethoxylate	LD ₅₀	> 2000		Method not given	
propan-2-ol	LD ₅₀	> 2000	Rabbit	Method not given	
alkyl alcohol ethoxylate		No data available			
alkyl alcohol alkoxyate		No data available			
sodium benzoate	LD ₅₀	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
alkyl alcohol ethoxylate	LC ₅₀	> 5		Method not given	4
propan-2-ol	LC ₅₀	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6
alkyl alcohol ethoxylate		No data available			
alkyl alcohol alkoxyate		No data available			
sodium benzoate	LC ₅₀	> 12.2	Rat	Method not given	4h

Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
alkyl alcohol ethoxylate	Not irritant		OECD 404 (EU B.4)	
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	
alkyl alcohol ethoxylate	No data available			
alkyl alcohol alkoxyate	Not irritant	Rabbit	OECD 404 (EU B.4) Read across	
sodium benzoate	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
alkyl alcohol ethoxylate	Severe damage		OECD 405 (EU B.5)	
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	
alkyl alcohol ethoxylate	No data available			
alkyl alcohol alkoxyate	Not corrosive or irritant	Rabbit	OECD 405 (EU B.5) Read across	
sodium benzoate	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
alkyl alcohol ethoxylate	No data available			
propan-2-ol	No data available			
alkyl alcohol ethoxylate	No data available			
alkyl alcohol alkoxyate	No data available			

sodium benzoate	No data available			
-----------------	-------------------	--	--	--

Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate	No data available			
alkyl alcohol ethoxylate	No data available			
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	
alkyl alcohol ethoxylate	No data available			
alkyl alcohol alkoxyolate	No data available			
sodium benzoate	Not sensitising	Guinea pig Mouse	Read across	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyl alcohol ethoxylate	No data available			
alkyl alcohol ethoxylate	No data available			
propan-2-ol	No data available			
alkyl alcohol ethoxylate	No data available			
alkyl alcohol alkoxyolate	No data available			
sodium benzoate	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyl alcohol ethoxylate	No data available		No data available	
alkyl alcohol ethoxylate	No evidence for mutagenicity	Read across	No data available	
propan-2-ol	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)
alkyl alcohol ethoxylate	No data available		No data available	
alkyl alcohol alkoxyolate	No data available		No data available	
sodium benzoate	No evidence for mutagenicity	OECD 471 (EU B.12/13)	No evidence for mutagenicity	Method not given

Carcinogenicity

Ingredient(s)	Effect
alkyl alcohol ethoxylate	No data available
alkyl alcohol ethoxylate	No data available
propan-2-ol	No evidence for carcinogenicity, negative test results
alkyl alcohol ethoxylate	No data available
alkyl alcohol alkoxyolate	No data available
sodium benzoate	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyl alcohol ethoxylate			No data available				
alkyl alcohol ethoxylate			No data available				
propan-2-ol			No data available				
alkyl alcohol ethoxylate			No data available				
alkyl alcohol alkoxyolate			No data available				
sodium benzoate	NOAEL	Developmental toxicity	≥ 175	Mouse Rat Rabbit	Not known		No developmental toxicity

Repeated dose toxicity

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
propan-2-ol		No data				

CLAX 100 22A1

		available				
alkyl alcohol ethoxylate		No data available				
alkyl alcohol alkoxyate		No data available				
sodium benzoate		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
propan-2-ol		No data available				
alkyl alcohol ethoxylate		No data available				
alkyl alcohol alkoxyate		No data available				
sodium benzoate		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyl alcohol ethoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
propan-2-ol		No data available				
alkyl alcohol ethoxylate		No data available				
alkyl alcohol alkoxyate		No data available				
sodium benzoate		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyl alcohol ethoxylate			No data available					
alkyl alcohol ethoxylate			No data available					
propan-2-ol			No data available					
alkyl alcohol ethoxylate			No data available					
alkyl alcohol alkoxyate			No data available					
sodium benzoate			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	No data available
alkyl alcohol ethoxylate	No data available
propan-2-ol	Central nervous system
alkyl alcohol ethoxylate	No data available
alkyl alcohol alkoxyate	No data available
sodium benzoate	No data available

STOT-repeated exposure

Ingredient(s)	Affected organ(s)
alkyl alcohol ethoxylate	No data available
alkyl alcohol ethoxylate	No data available
propan-2-ol	No data available
alkyl alcohol ethoxylate	No data available
alkyl alcohol alkoxyate	No data available
sodium benzoate	No data available

Aspiration hazard

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
alkyl alcohol ethoxylate	LC ₅₀	> 1 - =< 10	<i>Fish</i>	ISO 7346	
propan-2-ol	LC ₅₀	> 100	<i>Pimephales promelas</i>	Method not given	48
alkyl alcohol ethoxylate		No data available			
alkyl alcohol alkoxyolate	LC ₅₀	> 100	<i>Brachydanio rerio</i>	OECD 203 (EU C.1)	96
sodium benzoate	LC ₅₀	> 100	<i>Pimephales promelas</i>	Similar to OECD 203	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
alkyl alcohol ethoxylate	EC ₅₀	> 1 - =< 10	<i>Daphnia</i>	OECD 202 (EU C.2)	
propan-2-ol	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	Method not given	48
alkyl alcohol ethoxylate		No data available			
alkyl alcohol alkoxyolate	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	Method not given	48
sodium benzoate	EC ₅₀	> 100	<i>Daphnia magna Straus</i>	Non guideline test	96

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyl alcohol ethoxylate		No data available			
alkyl alcohol ethoxylate	EC ₅₀	> 1 - =< 10	<i>Not specified</i>	OECD 201 (EU C.3) DIN 38412, Part 9	
propan-2-ol	EC ₅₀	> 100	<i>Scenedesmus quadricauda</i>	Method not given	72
alkyl alcohol ethoxylate		No data available			
alkyl alcohol alkoxyolate	EC ₅₀	> 100	<i>Not specified</i>	Method not given	72
sodium benzoate	EC ₅₀	> 30.5	<i>Not specified</i>	OECD 201 (EU C.3)	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyl alcohol ethoxylate		No data available			
alkyl alcohol ethoxylate		No data available			
propan-2-ol		No data available			
alkyl alcohol ethoxylate		No data available			
alkyl alcohol alkoxyolate		No data available			
sodium benzoate		No data available			

CLAX 100 22A1

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyl alcohol ethoxylate		No data available			
alkyl alcohol ethoxylate	EC ₀	> 100	<i>Bacteria</i>	DIN 38412 / Part 8	
propan-2-ol	EC ₅₀	> 1000	<i>Activated sludge</i>	Method not given	
alkyl alcohol ethoxylate		No data available			
alkyl alcohol alkoxyate		No data available			
sodium benzoate	EC ₅₀	> 100	<i>Achromobacter sp.</i>	Method not given	24 hour(s)

Aquatic long-term toxicity

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
propan-2-ol		No data available				
alkyl alcohol ethoxylate		No data available				
alkyl alcohol alkoxyate		No data available				
sodium benzoate	NOEC	10			144 hour(s)	

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyl alcohol ethoxylate		No data available				
alkyl alcohol ethoxylate		No data available				
propan-2-ol		No data available				
alkyl alcohol ethoxylate		No data available				
alkyl alcohol alkoxyate		No data available				
sodium benzoate		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - beneficial insects, if available:

CLAX 100 22A1

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

12.2 Persistence and degradability

Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
propan-2-ol	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
propan-2-ol		No data available			

Biodegradation

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT ₅₀	Method	Evaluation
alkyl alcohol ethoxylate				OECD 301B	Readily biodegradable
alkyl alcohol ethoxylate	Activated sludge, aerobe	BOD removal	> 60 % in 30 day(s)	OECD 301D	Readily biodegradable
propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable
alkyl alcohol ethoxylate					Readily biodegradable
alkyl alcohol alkoxyolate	Activated sludge, aerobe	BOD removal		OECD 301F	Readily biodegradable
sodium benzoate		CO ₂ production		OECD 301B	Readily biodegradable

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT ₅₀	Method	Evaluation
propan-2-ol					No data available

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyl alcohol ethoxylate	-		No bioaccumulation expected	
alkyl alcohol ethoxylate	-		No bioaccumulation expected	
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	
alkyl alcohol ethoxylate	-		No bioaccumulation expected	
alkyl alcohol alkoxyolate	-		No bioaccumulation expected	
sodium benzoate	1.88	Method not given	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyl alcohol ethoxylate	No data available				
alkyl alcohol ethoxylate	No data available				
propan-2-ol	No data available				
alkyl alcohol ethoxylate	No data available				
alkyl alcohol alkoxyolate	No data available				
sodium benzoate	No data available				

12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
alkyl alcohol ethoxylate	No data available				
alkyl alcohol ethoxylate	No data available				
propan-2-ol	No data available				Potential for mobility in soil, soluble in water
alkyl alcohol ethoxylate	No data available				
alkyl alcohol alkoxyate	No data available				
sodium benzoate	No data available				

12.5 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Waste from residues / unused products:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging**Recommendation:****Suitable cleaning agents:**

Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

SECTION 14: Transport information**ADG, IMO/IMDG, ICAO/IATA****14.1 UN number:** 3082**14.2 UN proper shipping name:**

Environmentally hazardous substance, liquid, n.o.s. (alkyl alcohol ethoxylate)

14.3 Transport hazard class(es):**Transport hazard class (and subsidiary risks):** 9**14.4 Packing group:** III**14.5 Environmental hazards:****Environmentally hazardous:** Yes**Marine pollutant:** Yes**14.6 Special precautions for user:** None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****Hazchem code:** •3Z

The product has been classified, labelled and packaged in accordance with the requirements of ADG7.7 Code and the provisions of the IMDG Code.

Transport regulations include special provisions for dangerous goods packed in small quantities classified under UN3077 or UN3082

(a) IMDG 2.10.2.7 exception: Labelling and packaging not subject to this Code when package in single or combination packagings containing a net quantity per single or inner packaging of 5L(kg) or less

(b) ADG 7.6 SP No. AU01 exception: Labelling and packaging not subject to this Code when transported by road or rail in packagings not > 500 kg(L) or IBCs

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

CLAX 100 22A1

National regulations	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Poison schedule	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
Classification	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
Inventory listing(s)	Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt.

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MS31000813

Version: 01.1

Revision: 2021-08-06

Additional information:

Respirators: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

Work practices - solvents: Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ): Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

Personal protective equipment guidelines: The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

Health effects from exposure: It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations and acronyms:

- DNEL - Derived No Effect Limit
- AUH - Non GHS hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LD50 - Lethal Dose, 50% / Median Lethal dose
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration
- EC50 - effective concentration, 50%
- NOEL - No observed effect level
- NOAEL - No observed adverse effect level
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number
- OECD - Organization for Economic Cooperation and Development

End of Safety Data Sheet