This SDS version supersedes all previous MSDS for the specified product.



Product: WC610 Issue Date: 2023 MAY Issued by: PRS Version: 2.00 Page: 1 of 8

HAZARDOUS CHEMICAL, NON-DANGEROUS GOODS

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: HERCULES - HEAVY DUTY CLEANER FOR FOOD AREAS

Synonyms Product Code
HERCULES – HEAVY DUTY CLEANER 750ML WC610-750
HERCULES - HEAVY DUTY CLEANER 1L WC610-1
HERCULES - HEVAY DUTY CLEANER 5L WC610-5
HERCULES - HEAVY DUTY CLEANER 20L WC610-20
HERCULES – HEVAY DUTY CLEANER 205L WC610-205
HERCULES – HEAVY DUTY CLEANER 1000L WC610-1000

Recommended use:

Description:

HERCULES is a non-dangerous heavy duty alkaline detergent formulated for quick and easy removal of animal fats, starches, pertinacious soils, dirt, grime, grease and oils from floors, walls and equipment in food processing areas. The surfactants incorporated in this product are biodegradable to Australian Standards. When used as recommended **HERCULES** is safe to use on aluminium and other soft metals, as well as mild steel, stainless steel and some painted surfaces.

Where to use: HERCULES is ideal for use on food processing equipment, also maintenance cleaning of floors, walls, ceilings, fridges and freezers. It is a complete product for foam or manual cleaning in abattoirs, small goods factories, breweries, dairy factories, butcher shops, etc. and wherever heavy contamination is present.

Recommended use:

Product AS SOLD

Product AS SOLD is classified as hazardous according to GHS and/or Safe Work Australia because of risk to EYES/SKIN. Contact with EYES/SKIN is not considered as being applicable to normal use of the product. Avoid direct sprays or contact with EYES or SKIN as it can cause serious eye irritation or causes skin irritation.

Apply neat or diluted via a spray bottle, foam gun, pressure cleaner, cloth, sponge, brush, mop or soak method. Dilution Recommendations with Water

Kitchen Degreasing 1:1 to 1:4 Foam Cleaning 1:20 to 1:100 Floor Cleaning 1:20 to 1:200 Spray & Wipe Cleaning 1:20 to 1:200

Pots & Pans As required

Freezers 1:20 (with 10% Propylene Glycol if required)

BENEFITS & TIPS

☑ AQIS APPROVED

☑ BIODEGRADABLE SURFACTANTS

☑ EXCELLENT CLEANER

✓ SAFE ON MOST SURFACES

☑ CONCENTRATED







This SDS version supersedes all previous MSDS for the specified product.



Product: WC610 Issue Date: 2023 MAY Issued by: PRS Version: 2.00 Page: 2 of 8

✓ NON-DANGEROUS✓ DEGREASES

Supplier: Able Westchem
ABN: 009 353 182
Street Address: 273 Collier Road

Bayswater, WA 6053

Australia

Telephone: +61 8 9471 9111

Emergency Telephone number: +61 8 9471 9111 (8.00am-4.30pm: Mon-Fri, AWST)

2. HAZARDS IDENTIFICATION

This material is hazardous according to health criteria of Safe Work Australia.



Signal Word

Warning

Hazard Classifications

Skin Corrosion/Irritation - Category 2 Serious Eye Damage/Irritation - Category 2A

Hazard Statements

H315 Causes skin irritation. H319 Causes serious eye irritation.

Prevention Precautionary Statements

P102 Keep out of reach of children.

P103 Read label before use.

P264 Wash hands, face and all exposed skin thoroughly after handling.

P280 Wear protective clothing, gloves, eye/face protection and suitable respirator.

Response Precautionary Statements

P101 If medical advice is needed, have product container or label at hand.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see Always refer to information on the product label).

P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

Storage Precautionary Statement

Not allocated

Disposal Precautionary Statement





This SDS version supersedes all previous MSDS for the specified product.



Product: WC610 Issue Date: 2023 MAY Issued by: PRS Version: 2.00 Page: 3 of 8

Not allocated

Poison Schedule: S5. Caution

DANGEROUS GOOD CLASSIFICATION

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

3. COMPOSITION INFORMATION

CHEMICAL ENTITY	CAS NO	PROPORTION
Ethylene glycol mono butyl ether Sodium hydroxide (Na(OH)) Sodium silicate Ingredients determined to be Non-Hazardous	111-76-2 1310-73-2 6834-92-0	1-10 % (w/w) 1- 2 % (w/w) 1-10 % (w/w) Balance

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Breath fresh air. Seek medical advice if effects persist.

Skin Contact: If skin or hair contact occurs, immediately remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a Doctor; or for 15 minutes and transport to Doctor or Hospital.

Eye contact: If in eyes, hold eyelids apart and flush the eyes continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a Doctor; or for at least 15 minutes and transport to Doctor or Hospital.

Ingestion: Rinse mouth with water. If swallowed, do NOT induce vomiting. Give a glass of water to drink. Never give anything by the mouth to an unconscious patient. If vomiting occurs give further water. Seek medical advice.

Notes to physician: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

Suitable extinguishing media: If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

Specific hazards: Non-combustible material.

Firefighting further advice: Not combustible, however following evaporation of aqueous component residual material can burn if ignited.







Web1: www.westchem.com.au Web2: www.envirocareearth.com.au

This SDS version supersedes all previous MSDS for the specified product.



Product: WC610 Issue Date: 2023 MAY Issued by: PRS Version: 2.00 Page: 4 of 8

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS

Wear protective equipment to prevent skin and eye contamination. Avoid inhalation of vapour. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers or drums for disposal.

LARGE SPILLS

Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labelled containers or drums for disposal.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

7. HANDLING AND STORAGE

Handling: Avoid eye contact and skin contact. Avoid inhalation of vapour.

Storage: Store in a cool, dry, well-ventilated place and out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials described in Section 10. Store away from sources of heat and/or ignition. Always keep container standing upright. Keep containers closed when not in use - check regularly for leaks.

This material is a Scheduled Poison Schedule 5 (Caution) and must be stored, maintained and used in accordance with the relevant regulations.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:

	TWA		STEL		NOTICES
	ppm	mg/m3	ppm	mg/m3	
2-Butoxyethanol	20	96.9	50	242	Sk
Sodium hydroxide	-	2 Peak limitation	-	-	-

As published by Safe Work Australia.

TWA - The time-weighted average airborne concentration over an eight-hour working day, for a five-day working week over an entire working life.

STEL (Short Term Exposure Limit) - the average airborne concentration over a 15-minute period which should not be exceeded at any time during a normal eight-hour workday.

'Sk' Notice - absorption through the skin may be a significant source of exposure. The exposure standard is invalidated if such contact should occur.

These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept too as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.





This SDS version supersedes all previous MSDS for the specified product.



 Product:
 WC610

 Issue Date:
 2023 MAY

 Issued by:
 PRS

 Version:
 2.00

 Page:
 5 of 8

If the directions for use on the product label are followed, exposure of individuals using the product should not exceed the above standard. The standard was created for workers who are routinely, potentially exposed during product manufacture.

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Ensure ventilation is adequate to maintain air concentrations below Exposure Standards. Use only in well ventilated areas. Use with local exhaust ventilation or while wearing appropriate respirator.

Personal Protection Equipment:

Special Note: Personal Protective Equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

The selection of PPE is dependent on a full risk assessment. The risk assessment should consider the work situation, physical form of chemical, handling method and volume, environmental factors and area of application. If the outcome of risk assessment is considerably low, still manufacturer recommends to use minimum PPE stipulated by the chemical industry practices. Ex: Safety Glasses, Safety Shoes, Impervious Gloves and suitable protective clothing such as long sleeve cloths with buttoned at neck and wrist.

GLOVES, SAFETY SHOES, SAFETY GLASSES, PROTECTIVE CLOTHES









If the handling volume is large and risk of spill exists, wear suitable protective clothing covers unprotected exposed skin area with an overall and a chemical resistant Apron at all times to avoid any injuries.

Available information suggests that gloves made from natural rubber, nitrile rubber should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

Hygiene measures: Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Wash hands prior to eating, drinking or smoking. Avoid contact with clothing. Avoid eye contact and skin contact. Avoid inhalation of vapour. Ensure that eyewash stations and safety showers are close to the workstation location.

9. PHYSICAL AND CHEMICAL PROPERTIES

Base Units: Litres
Form: Clear Liquid

Colour: Light straw-coloured

Odour: Slight Odour Completely soluble

Specific Gravity (20 °C): 1.06 – 1.11

Vapour Pressure (20 °C): Approx. 18 mm Hg at 25°C

Flash Point (°C): Not applicable

Boiling Point/Range (°C): 100°C

pH: 11.7 – 12.9





This SDS version supersedes all previous MSDS for the specified product.



Product: WC610 Issue Date: 2023 MAY Issued by: PRS Version: 2.00 Page: 6 of 8

(Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable when stored and used as directed.

Conditions to avoid: Elevated temperatures and sources of ignition.

Incompatible materials: Oxidising agents.

Hazardous decomposition products: Oxides of carbon and nitrogen, smoke and other toxic fumes.

Hazardous reactions: No known hazardous reactions.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Material may be an irritant to mucous membranes and respiratory tract.

Skin contact: Contact with skin will result in irritation.

Ingestion: Swallowing can result in nausea, vomiting and irritation of the gastrointestinal tract.

Eye contact: An eye irritant.

Acute toxicity

Inhalation: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >20 mg/L

Skin contact: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Ingestion: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >2,000 mg/Kg

Corrosion/Irritancy: Eye: this material has been classified as a Category 2A Hazard (reversible effects to eyes). Skin: this material has been classified as a Category 2 Hazard (reversible effects to skin).

Sensitisation: Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as not a skin sensitiser.

Aspiration hazard: This material has been classified as non-hazardous.

Specific target organ toxicity (single exposure): This material has been classified as non-hazardous. **Chronic Toxicity**

Mutagenicity: This material has been classified as non-hazardous.

NO UNAUTHORISED COPIES PERMITTED - DISREGARD SDS WITHOUT OFFICIAL ABLE WESTCHEM LETTERHEAD





Web1: www.westchem.com.au Web2: www.envirocareearth.com.au

This SDS version supersedes all previous MSDS for the specified product.



Product: WC610 Issue Date: 2023 MAY Issued by: PRS Version: 2.00 Page: 7 of 8

Carcinogenicity: This material has been classified as non-hazardous.

Reproductive toxicity (including via lactation): This material has been classified as non-hazardous.

Specific target organ toxicity (repeat exposure): This material has been classified as non-hazardous.

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Acute aquatic hazard: This material has been classified as non-hazardous. Acute toxicity estimate (based on ingredients): >100 mg/L

Long-term aquatic hazard: This material has been classified as non-hazardous. Non-rapidly or rapidly degradable substance for which there are adequate chronic toxicity data available OR in the absence of chronic toxicity data, Acute toxicity estimate (based on ingredients): >100 mg/L, where the substance is not rapidly degradable and/or BCF < 500 and/or log K_{ow} < 4.

Eco toxicity: No information available.

Persistence and degradability: No information available.

Bio accumulative potential: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Persons conducting disposal, recycling or reclamation activities should ensure that appropriate personal protection equipment is used, see "Section 8. Exposure Controls and Personal Protection" of this SDS.

If possible material and its container should be recycled. If material or container cannot be recycled, dispose in accordance with local, regional, national and international Regulations.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)





This SDS version supersedes all previous MSDS for the specified product.



Product: WC610 Issue Date: 2023 MAY Issued by: PRS Version: 2.00 Page: 8 of 8

The Stockholm Convention (Persistent Organic Pollutants)

The Rotterdam Convention (Prior Informed Consent)

Basel Convention (Hazardous Waste)

This material/constituent(s) is covered by the following requirements:

- The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth).
- All components of this product are listed on or exempt from the Australian Inventory of Chemical Substances (AICS).
- •International Convention for the Prevention of Pollution from Ships (MARPOL) Annex V.

16. OTHER INFORMATION

Reasons for issue: Periodic review & update of SDS, included MARPOL declaration.

Issue date: 23/05/2023 Version: 2.00

Able Rating: Amber-Alkali


DISCLAIMER:

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. This product was classified according to Globally Harmonised System of Classification and Labelling of Chemicals (GHS) Revision Version 07.

This product meets the criteria for not being harmful to the marine environment according to MARPOL Annex V and may be discharged in to sea as per Regulation 4, 5 & 6.

Able Westchem MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the Able Westchem product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of an Able Westchem product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Able Westchem product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. For this reason, Able Westchem always recommends a user perform a test patch or trial in small scale or in an inconspicuous area prior to full application to limit possible damage. Testing before beginning any project is also the best way to ensure product effectiveness.

Able Westchem provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Able Westchem makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from Able Westchem.







Web1: www.westchem.com.au Web2: www.envirocareearth.com.au