



# Safety Data Sheet

## SOFT CARE ANTIBAC

Revision: 2022-12-22

Version: 01.4

### SECTION 1: Identification of the substance/mixture and supplier

#### 1.1 Product identifier

**Product name:** SOFT CARE ANTIBAC

#### 1.2 Recommended use and restrictions on use

**Identified uses:**

Sanitising hand rinse

Hand sanitiser

**Restrictions of use:**

Uses other than those identified are not recommended

#### 1.3 Details of the supplier

Diversey Australia Pty. Limited

Unit 8, 55 Newton Road, Wetherill Park, NSW, 2164

1-7 Bell Grove, Braeside, VIC 3195

Telephone: 1800 647 779 (toll free)

Email: aucustserv@diversey.com

Website: diversey.com.au

#### 1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible)

Call 1800 033 111 (24hrs)

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Flammable liquids, Category 2

Eye irritation, Category 2A

#### 2.2 Label elements

This product is exempted from labelling requirements.

#### 2.3 Other hazards

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances / Mixtures

Ingredient(s)	CAS#	EC number	Weight percent
ethanol	64-17-5	200-578-6	>= 70
propan-2-ol	67-63-0	200-661-7	3-10

For the full text of the H and AUH phrases mentioned in this Section, see Section 16.

Non-hazardous ingredients are the remainder and add up to 100%.

[4] Polymer.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

**Inhalation:**

Get medical attention or advice if you feel unwell.

**Skin contact:**

Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice or attention.

**Eye contact:**

Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical attention.

**Ingestion:**

Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

## SOFT CARE ANTIBAC

**Self-protection of first aider:** person. Get medical attention or advice if you feel unwell.  
**First aid facilities:** Consider personal protective equipment as indicated in subsection 8.2.  
 Eyewash facilities should be considered in a workplace where necessary.

**4.2 Most important symptoms and effects, both acute and delayed**

**Inhalation:** No known effects or symptoms in normal use.  
**Skin contact:** No known effects or symptoms in normal use.  
**Eye contact:** No known effects or symptoms in normal use.  
**Ingestion:** No known effects or symptoms in normal use.

**4.3 Indication of any immediate medical attention and special treatment needed**

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

**Poison Information Center:** Call 13 11 26 (Australia Wide).

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

**5.2 Special hazards arising from the substance or mixture**

No special hazards known.

**5.3 Advice for firefighters**

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

**5.4 Hazchem code**

•3YE

•3 - Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used.

Y - Full fire kit and breathing apparatus. Contain.

E - People should be warned to stay indoors with all doors and windows closed, but evacuation may need to be considered.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

**6.2 Environmental precautions**

Do not allow to enter drainage system, surface or ground water. Dilute with plenty of water.

**6.3 Methods and material for containment and cleaning up**

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

**6.4 Reference to other sections**

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Do not mix with other products unless advised by Diversey.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Keep only in original packaging. Keep from freezing.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Ingredient(s)	Long term value(s) (TWA)	Short term value(s) (STEL)	Peak value(s)
ethanol	1000 ppm 1880 mg/m <sup>3</sup>		
propan-2-ol	400 ppm 983 mg/m <sup>3</sup>	500 ppm 1230 mg/m <sup>3</sup>	

Biological limit values, if available:

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet.  
If available, please refer to the product information sheet for application and handling instructions.  
Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

**Appropriate engineering controls:** No special requirements under normal use conditions.  
**Appropriate organisational controls:** No special requirements under normal use conditions.

**Personal protective equipment**

**Eye / face protection:** No special requirements under normal use conditions.  
**Hand protection:** Not applicable.  
**Body protection:** No special requirements under normal use conditions.  
**Respiratory protection:** No special requirements under normal use conditions.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

	Method / remark
<b>Physical state:</b> Liquid <b>Colour:</b> Clear , Colourless <b>Odour:</b> Product specific <b>Odour threshold:</b> Not applicable <b>pH:</b> No information available. <b>Melting point/freezing point (°C):</b> Not determined <b>Initial boiling point and boiling range (°C):</b> Not determined	Not relevant to classification of this product
<b>Flammability (liquid):</b> Flammable. <b>Flash point (°C):</b> ≈ 21.1 °C <b>Sustained combustion:</b> Not applicable. <i>( UN Manual of Tests and Criteria, section 32, L.2 )</i>	closed cup
<b>Evaporation rate:</b> Not determined <b>Flammability (solid, gas):</b> Not applicable to liquids <b>Lower and upper explosion limit/flammability limit (%):</b> Not determined <b>Vapour pressure:</b> Not determined <b>Relative vapour density:</b> Not determined <b>Relubility density:</b> ≈ 0.87 (20 °C) <b>Solubility in / Miscibility with water:</b> Fully miscible <b>Partition coefficient: n-octanol/water</b> No information available.	Not relevant to classification of this product
<b>Autoignition temperature:</b> Not determined <b>Decomposition temperature:</b> Not applicable. <b>Viscosity:</b> Not determined <b>Explosive properties:</b> Not explosive. <b>Oxidising properties:</b> Not oxidising.	Not relevant to classification of this product

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

**9.2 Other information**

**Surface tension (N/m):** Not determined  
**Corrosion to metals:** Not corrosive

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

No reactivity hazards known under normal storage and use conditions.

**10.2 Chemical stability**

Stable under normal storage and use conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known under normal storage and use conditions.

**10.4 Conditions to avoid**

None known under normal storage and use conditions.

**10.5 Incompatible materials**

None known under normal use conditions.

**10.6 Hazardous decomposition products**

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

**11.1 Information on toxicological effects**

Mixture data:.

**Relevant calculated ATE(s):**

ATE - Oral (mg/kg): >5000

**Eye irritation and corrosivity**

**Result:** Eye irritant 2A      **Method:** Bridging

Substance data, where relevant and available, are listed below:.

**Acute toxicity**

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
ethanol	LD <sub>50</sub>	5000	Rat	OECD 401 (EU B.1)	
propan-2-ol	LD <sub>50</sub>	5840	Rat	OECD 401 (EU B.1)	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
ethanol	LD <sub>50</sub>	> 10000	Rabbit	OECD 402 (EU B.3)	
propan-2-ol	LD <sub>50</sub>	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	LC <sub>50</sub>	> 1800	Rat	Non guideline test	4
propan-2-ol	LC <sub>50</sub>	> 25 (vapour)	Rat	OECD 403 (EU B.2)	6

**Irritation and corrosivity**

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	Not irritant	Rabbit	OECD 404 (EU B.4)	
propan-2-ol	Not irritant	Rabbit	OECD 404 (EU B.4)	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	Irritant	Rabbit	OECD 405 (EU B.5)	
propan-2-ol	Irritant	Rabbit	OECD 405 (EU B.5)	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			

propan-2-ol	No data available			

**Sensitisation**

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
ethanol	Not sensitising			
propan-2-ol	Not sensitising	Guinea pig	OECD 406 (EU B.6) / Buehler test	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
ethanol	No data available			
propan-2-ol	No data available			

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
ethanol	No data available		No data available	
propan-2-ol	No evidence for mutagenicity, negative test results No evidence of genotoxicity, negative test results	OECD 471 (EU B.12/13)	No evidence of genotoxicity, negative test results	OECD 474 (EU B.12)

Carcinogenicity

Ingredient(s)	Effect
ethanol	No data available
propan-2-ol	No evidence for carcinogenicity, negative test results

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
ethanol			No data available				
propan-2-ol			No data available				

**Repeated dose toxicity**

Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data available				
propan-2-ol		No data available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data available				
propan-2-ol		No data available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
ethanol		No data available				
propan-2-ol		No data available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
ethanol			No data available					
propan-2-ol			No data available					

STOT-single exposure

Ingredient(s)	Affected organ(s)
---------------	-------------------

## SOFT CARE ANTIBAC

ethanol	No data available
propan-2-ol	Central nervous system

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
ethanol	No data available
propan-2-ol	No data available

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**SECTION 12: Ecological information****12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	LC <sub>50</sub>	8150	<i>Alburnus alburnus</i>	Method not given	96
propan-2-ol	LC <sub>50</sub>	> 100	<i>Pimephales promelas</i>	Method not given	48

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	EC <sub>50</sub>	5012	<i>Daphnia magna Straus</i>	Method not given	48
propan-2-ol	EC <sub>50</sub>	> 100	<i>Daphnia magna Straus</i>	Method not given	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
ethanol	EC <sub>50</sub>	675	<i>Scenedesmus quadricauda Not specified</i>	Method not given	72
propan-2-ol	EC <sub>50</sub>	> 100	<i>Scenedesmus quadricauda</i>	Method not given	72

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
ethanol		No data available			
propan-2-ol		No data available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
ethanol	EC <sub>50</sub>	6500	<i>Pseudomonas putida</i>	Method not given	16 hour(s)
propan-2-ol	EC <sub>50</sub>	> 1000	<i>Activated sludge</i>	Method not given	

**Aquatic long-term toxicity**

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanol		No data available				
propan-2-ol		No data				

## SOFT CARE ANTIBAC

		available				
--	--	-----------	--	--	--	--

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
ethanol		No data available				
propan-2-ol		No data available				

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

**Terrestrial toxicity**

Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
propan-2-ol		No data available				

**12.2 Persistence and degradability****Abiotic degradation**

Abiotic degradation - photodegradation in air, if available:

Ingredient(s)	Half-life time	Method	Evaluation	Remark
propan-2-ol	No data available			

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
propan-2-ol	No data available			

Abiotic degradation - other processes, if available:

Ingredient(s)	Type	Half-life time	Method	Evaluation	Remark
propan-2-ol		No data available			

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
ethanol	Activated sludge, aerobe	Oxygen depletion	> 60% in 10 day(s)	OECD 301B	Readily biodegradable

propan-2-ol			95 % in 21 day(s)	OECD 301E	Readily biodegradable
-------------	--	--	-------------------	-----------	-----------------------

Ready biodegradability - anaerobic and marine conditions, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
propan-2-ol					No data available

Degradation in relevant environmental compartments, if available:

Ingredient(s)	Medium & Type	Analytical method	DT <sub>50</sub>	Method	Evaluation
propan-2-ol					No data available

### 12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
ethanol	-0.31	Weight of evidence	No bioaccumulation expected	
propan-2-ol	0.05	OECD 107	No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
ethanol	0.5		Weight of evidence	No bioaccumulation expected	
propan-2-ol	No data available				

### 12.4 Mobility in soil

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
ethanol	No data available				
propan-2-ol	No data available				Potential for mobility in soil, soluble in water

### 12.5 Other adverse effects

No other adverse effects known.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.

Empty packaging

Recommendation:

Suitable cleaning agents:

Dispose of observing national or local regulations.

Water, if necessary with cleaning agent.

## SECTION 14: Transport information



ADG, IMO/MDG, ICAO/IATA

14.1 UN number: 1987

14.2 UN proper shipping name:

Alcohols, n.o.s. (ethanol, isopropanol)

14.3 Transport hazard class(es):

Transport hazard class (and subsidiary risks): 3

14.4 Packing group: II

14.5 Environmental hazards:

Environmentally hazardous: No

Marine pollutant: No

14.6 Special precautions for user: None known.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: The product is not transported in bulk tankers.



**Other relevant information:****Hazchem code:** +3YE**ADR****IMO/IMDG****EmS:** F-E, S-D

The product has been classified, labelled and packaged in accordance with the requirements of ADG7.7 Code and the provisions of the IMDG Code.

Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>National regulations</b>	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia.
<b>Poison schedule</b>	A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).
<b>Classification</b>	Globally Harmonised System of Classification and Labelling of Chemicals (GHS) as published by Safework Australia. GHS labelling does not apply to cosmetics (WHS regulation 335).
<b>Inventory listing(s)</b>	Australian Inventory of Industrial Chemicals: All components are listed on the inventory, or are exempt.

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS31000359**Version:** 01.4**Revision:** 2022-12-22**Additional information:**

**Respirators:** In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

**Work practices - solvents:** Organic solvents may present both a health and flammability hazard. It is recommended that engineering controls should be adopted to reduce exposure where practicable (for example, if using indoors, ensure explosion proof extraction ventilation is available). Flammable or combustible liquids with explosive limits have the potential for ignition from static discharge. Refer to AS 1020 (The control of undesirable static electricity) and AS 1940 (The storage and handling of flammable and combustible liquids) for control procedures.

**Exposure standards - Time Weighted Average (TWA) or Workplace Exposure Standard (WES) (NZ):** Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

**Personal protective equipment guidelines:** The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Health effects from exposure:** It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Safety Data Sheet which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**Abbreviations and acronyms:**

- DNEL - Derived No Effect Limit
- AUH - Non GHS hazard statement
- PNEC - Predicted No Effect Concentration
- ATE - Acute Toxicity Estimate
- LC50 - Lethal Concentration, 50% / Median Lethal Concentration

**SOFT CARE ANTIBAC**

- LD50 - Lethal Dose, 50% / Median Lethal dose
- STOT-RE - Specific target organ toxicity (repeated exposure)
- STOT-SE - Specific target organ toxicity (single exposure)
- EC No. - European Community Number

**End of Safety Data Sheet**